

7. Prefabricated swimming pools that are less than 24 inches (610 mm) deep.
8. Swings and other playground equipment.
9. Window awnings supported by an exterior wall which do not project more than 54 inches (1372 mm) from the exterior wall and do not require additional support.
10. Decks not exceeding 200 square feet in area, not more than 30 inches (762 mm) above grade at any point, are not attached to a dwelling and do not serve the exit door required by section R311.4.

2) R105.2 is furthermore amended by the deletion of the Electrical, Gas, Mechanical and Plumbing provisions previously contained in the section.

3) R105.5 Expiration is amended to read as follows:

R105.5 Expiration. The expiration date for any issued permit shall be in accordance with the provisions of Section ZS 1-115(g) of the Zoning and Subdivision Control Article of the Code of Public Local Laws of Worcester County as may be amended from time to time. Any permit application which remains unissued after six months from the date of notice to the applicant of its availability shall expire and be considered null and void.

4) R110.1 Use and occupancy is amended by the deletion of exceptions 1 and 2.

5) Table R301.2(1) Climatic and Geographic Design Criteria is amended by the insertion of the following building design parameters:

Ground snow load – 20 pounds per square foot

Wind design speed/topographic effect – 125 mph/no topographic effect

Seismic design category – A

Subject to damage from:

Weathering – Severe

Frost line depth – 18 inches

Termite – Moderate to Heavy

Winter design temperature – 18 degrees

Ice barrier underlayment required – No

Flood Hazard – As identified by the FIRM maps

Air freezing index – 250

Mean annual temperature – 56 Degrees Fahrenheit